CANADIAN GEOTECHNICAL JOURNAL/REVUE CANADIENNE DE GEOTECHNIQUE
VOLUME 14, 1977
AUTHOR INDEX/REPERTOIRE DES AUTEURS

Allard, M. *See* Hucka, V. J.

Alonso, E. *See* Yong, N. R.

Anderson, W. F., Hanna, T. H., and Shah, S. A. Model tests on anchored walls retaining overconsolidated sands, 214–222.

Arvidson, W. D., and Morgenstern, N. R. Water flow induced by soil freezing, 237–245.

Audibert, J. M. E. *See* Tavenas, F. A.

Babcock, E. A. A comparison of joints in bedrock and fractures in overlying Pleistocene lacustrine deposits, central Alberta, 357–366.

Ballivy, G., Loiselle, A., Durand, M., and Poirier, M. Caractéristiques géotechniques du secteur du Parc Olympique, Montréal, 193–205.

Baracos, A. Compositional and structural anisotropy of Winnipeg soils—a study based on scanning electron microscopy and X-ray diffraction analyses, 125–137.

Barsvary, A. K. *See* Lacasse, S. M.

Billam, J. Correlations between cone resistance and vane shear strength in some Scandinavian soft to medium stiff clays: Discussion, 272–274.

Bilodeau, P. M. *See* La Rochelle, P.

Bou, W. T. *See* Quigley, R. M.

Brown, J. D. Glacial till: an interdisciplinary study: Book Review, 164–165.

Burgess, A. S. *See* Keil, L. D.

Burgess, N., and Eisenstein, Z. The application of pressuremeter test results in deformation analyses, 64–75.

Carson, M. A. On the retrogression of landslides in sensitive muddy sediments, 582–602.

Chapuis, R. P. Stabilité interne des murs en terre armée, 389–398.

Chatterji, P. K. *See* Insley, A. E.

Corotis, R. B. *See* Krizek, R. J.

Demars, K. R. *See* Wang, M. C.

Domaschuk, L. Soil block sampler, 262–265.

Ducasse, P. *See* Mieussens, C.

Durand, M. *See* Ballivy, G.

Eden, W. J. Evidence of creep in steep natural slopes of Champlain Sea clay, 620–627.

Eisenstein, Z. *See* Burgess, N.

El-Moursi, H. H. *See* Krizek, R. J.

Emery, J. J. *See* Thompson, C. D.

Fransham, P. B. *See* Yong, N. R.

Fransham, P. B., and Gadd, N. R. Geological and geomorphological controls of landslides in Ottawa Valley, Ontario, 531–539.

Fredlund, D. G. *See* Haug, M. D.

Fredlund, D. G., and Krahn, J. Comparison of slope stability methods of analysis, 429–439.

Freeze, R. A. *See* Hodge, R. A. L.

Freeman, W. S. Compositional and structural anisotropy of Winnipeg soils—a study based on scanning electron microscopy and X-ray diffraction analyses: Discussion, 158–159.

Gadd, N. R. *See* Fransham, P. B.

Gale, J. E., and Witherspoon, P. A. Effect of fracture deformation on fluid pressure distribution—an indicator of slope instability, 302–309.

Garneau, R., and LeBihan, J. P. Estimation of some properties of Champlain clays with the Swedish fall cone, 571–581.

Gelinas, P. J. *See* Quigley, R. M.

Goodall, D. C., and Quigley, R. M. Pollutant migration from two sanitary landfill sites near Sarnia, Ontario, 223–236.

Grisak, G. E., Merritt, W. F., and Williams, D. W. A fluoride borehole dilution apparatus for groundwater velocity measurements, 554–561.

Hanna, T. H. *See* Anderson, W. F.

Haug, M. D., Sauer, E. K., and Fredlund, D. G. Retrogressive slope failures at Beaver Creek, south of Saskatoon, Saskatchewan, Canada, 288–301.
Hodge, R. A. L., and Freeze, R. A. Groundwater flow systems and slope stability, 466–476.
Hucka, V. J., Levaque, J. G., and Allard, M. Slope stability investigation at Gaspé copper mines, 477–486.
Hwang, C. T. On quasi-static solutions for buried pipes in permafrost, 180–192.
Insley, A. E., Chatterji, P. K., and Smith, L. B. Use of residual strength for stability analyses of embankment foundations containing preexisting failure surfaces, 408–428.
Journeaux, N. L. *See* Rosenberg, P.
Kälin, M. Hydraulic piping—theoretical and experimental findings, 107–124.
Kalkani, E. C. Excavation unloading effect in rock wedge stability analysis, 258–262.
Keil, L. D., Burgess, A. S., Nielsen, N. M., and Koropatnick, A. Blast vibration monitoring of rock excavations, 603–619.
Kerr, J. W. G. *See* Peckover, F. L.
King, R. D. *See* Mitchell, R. J.
Klohn, E. J. Laterite soil engineering, pedogenesis and engineering principles: Book Review, 442–444.
Kogure, K., and Ohira, Y. Statistical forecasting of compressibility of peaty ground, 562–570.
Koropatnick, A. *See* Keil, L. D.
Krahn, J. *See* Fredlund, D. G.
Krizek, R. J., Corotis, R. B., and El-Moursi, H. H.
Probabilistic analysis of predicted and measured settlements, 17–33.
Krizek, R. J., Corotis, R. B., and El-Moursi, H. H. Probabilistic analysis of predicted and measured settlements: Reply, 276–277.
Lacasse, S. M., Ladd, C. C., and Barsvary, A. K. Undrained behavior of embankments on New Liskeard varved clay, 367–388.
Ladanyi, B. Tunnels in bedded rock with high horizontal stresses: Discussion, 152–153.
Ladanyi, B. Friction and end bearing tests on bedrock for high capacity socket design: Discussion, 153–155.
Ladd, C. C. *See* Lacasse, S. M.
La Rochelle, P., Lefebvre, G., and Bilodeau, P. M. The stabilization of a slide in Saint-Jérôme, Lac Saint-Jean, 340–356.
Law, K. T. Design of a loading platen for testing ice and frozen soil, 266–271.
LeBihan, J. P. *See* Garneau, R.
Lefebvre, G. *See* La Rochelle, P.
Levaque, J. G. *See* Hucka, V. J.
Lo, K. Y., and Morton, J. D. Tunnels in bedded rock with high horizontal stresses: Reply, 274–275.
Loiselle, A. *See* Ballivy, G.
Matyas, E. L. Probabilistic analysis of predicted and measured settlements: Discussion, 159–163.
Merritt, W. F. *See* Grisak, G. E.
Mieussens, C., and Ducasse, P. Mesure en place des coefficients de perméabilité et des coefficients de consolidation horizontaux et verticaux, 76–90.
Mitchell, R. J. *See* O'Connor, M. J.
Mitchell, R. J., and King, R. D. Cyclic loading of an Ottawa area Champlain Sea clay, 52–63.
Morgenstern, N. R. *See* Arvidson, W. D.
Morgenstern, N. R. *See* Thomson, S.
Morton, J. D. *See* Lo, K. Y.
Nacci, V. A. *See* Wang, M. C.
Nielsen, N. M. *See* Keil, L. D.
O'Connor, M. J., and Mitchell, R. J. An extension of the Bishop and Morgenstern slope stability charts, 144–151.
Ohira, Y. *See* Kogure, K.
Osler, J. C. Laurits Bjerrum memorial volume—contributions to soil mechanics: Book Review, 440–442.
Packer, R. W. *See* Quigley, R. M.
Palmer, J. H. L. Tunnelling technology, Book Review, 278–279.
Peckover, F. L., and Kerr, J. W. G. Treatment and maintenance of rock slopes on transportation routes, 487–507.
Perla, R. Slab avalanche measurements, 206–213.
Poirier, M. *See* Ballivy, G.
Prater, E. G. An examination of some theories of earth pressure on shaft linings, 91–106.
Quigley, R. M. *See* Goodall, D. C.
Quigley, R. M., Gelinas, P. J., Bou, W. T., and Packer, R. W. Cyclic erosion–instability relationships: Lake Erie north shore bluffs, 310–323.

Robinson, K. E. Tailings dam constructed on very loose, saturated sandy silt, 399–407.
Rosenberg, P., and Journeaux, N. L. Friction and end bearing tests on bedrock for high capacity socket design: Reply, 272.
Rosenberg, P., St. Arnaud, G., Journeaux, N. L., and Vallée, H. Design, construction, and performance of a slurry trench wall next to foundations, 324–339.
St. Arnaud, G. *See* Rosenberg, P.
Sauer, E. K. *See* Haug, M. D.
Sauer, E. K., and Wilson, E. A. Vegetation indicators for terrain evaluation in a prairie environment, 445–465.
Schaerer, P. A. Analysis of snow avalanche terrain, 281–287.
Shah, S. A. *See* Anderson, W. F.
Smith, L. B. *See* Insley, A. E.
Smith, M. W., and Tvede, A. The computer simulation of frost penetration beneath highways, 167–179.
Tabba, M. M. *See* Yong, N. R.
Tavenas, F. A., and Audibert, J. M. E. Application of the wave equation analysis to friction piles in sand, 34–51.
Tejchman, A. Bearing capacity model test of stratified subsoil loaded by strip foundation, 138–143.
Thompson, C. D., and Emery, J. J. Influence of a localized plastic layer on embankment stability, 524–530.
Thomson, S., and Morgenstern, N. R. Factors affecting distribution of landslides along rivers in southern Alberta, 508–523.
Thomson, S., and Yacyshyn, R. Slope instability in the City of Edmonton, 1–16.
Tvede, A. *See* Smith, M. W.
Vallée, H. *See* Rosenberg, P.
Vogan, R. W. Friction and end bearing tests on bedrock for high capacity socket design: Discussion, 156–158.
Wang, M. C., Demars, K. R., and Nacci, V. A. Breakout capacity of model suction anchors in soil, 246–257.
Williams, D. W. *See* Grisak, G. E.
Wilson, E. A. *See* Sauer, E. K.
Witherspoon, P. A. *See* Gale, J. E.
Yacyshyn, R. *See* Thomson, S.
Yong, N. R., Alonso, E., Tabba, M. M., and Fransham, P. B. Application of risk analysis to the prediction of slope instability, 540–553.

SUBJECT INDEX /REPERTOIRE DES SUJETS[1]

A. General

04. *Textbooks, Handbooks and Geotechnical Periodicals*

Glacial till: an interdisciplinary study: Book Review. Brown, J. D., 164.

Tunnelling technology: Book Review. Palmer, J. H. L., 278.

Laurits Bjerrum memorial volume—contributions to soil mechanics: Book Review. Osler, J. C., 440.

Laterite soil engineering, pedogenesis and engineering principles: Book Review. Klohn, E. J., 442.

B. Engineering Geology

00. *General*

Caractéristiques géotechniques du secteur du Parc Olympique, Montréal. Ballivy, G., Loiselle, A., Durand, M., et Poirier, M. 193.

A comparison of joints in bedrock and fractures in overlying Pleistocene lacustrine deposits, central Alberta. Babcock, E. A., 357.

Vegetation indicators for terrain evaluation in a prairie environment. Sauer, E. K., and Wilson, E. A., 445.

Groundwater flow systems and slope stability. Hodge, R. A. L., and Freeze, R. A., 466.

Factors affecting distribution of landslides along rivers in southern Alberta. Thomson, S., and Morgenstern, N. R., 508.

01. *Soil Formation*

Glacial till: an interdisciplinary study: Book Review. Brown, J. D., 164.

Laterite soil engineering, pedogenesis and engineering principles: Book Review. Klohn, E. J., 442.

Geological and geomorphological controls of landslides in Ottawa Valley, Ontario. Fransham, P. B., and Gadd, N. R., 531.

Estimation of some properties of Champlain clays with the Swedish fall cone. Garneau, R., and LeBihan, J. P., 571.

On the retrogression of landslides in sensitive muddy sediments. Carson, M. A., 582.

Evidence of creep in steep natural slopes of Champlain Sea clay. Eden, W. J., 620.

02. *Groundwater*

Groundwater flow systems and slope stability. Hodge, R. A. L., and Freeze, R. A., 466.

03. *Mass Movements and Subsidence*

Slope instability in the City of Edmonton. Thomson, S., and Yacyshyn, R., 1.

Cyclic erosion–instability relationships: Lake Erie north shore bluffs. Quigley, R. M., Gelinas, P. J., Bou, W. T., and Packer, R. W., 310.

The stabilization of a slide in Saint-Jérôme, Lac Saint-Jean. La Rochelle, P., Lefebvre, G., and Bilodeau, P. M., 340.

Treatment and maintenance of rock slopes on transportation routes. Peckover, F. L., and Kerr, J. W. G., 487.

C. Site Investigations

00. *General (incl. planning of site investigations)*

Retrogressive slope failures at Beaver Creek, south of Saskatoon, Saskatchewan, Canada. Haug, M. D., Sauer, E. K., and Fredlund, D. G., 288.

Design, construction, and performance of a slurry trench wall next to foundations. Rosenberg, P., St-Arnaud, G., Journeaux, N. L., and Vallée, H., 324.

[1]Based on the International Geotechnical Classification System (IGC) approved in 1969 by the International Society for Soil Mechanics and Foundation Engineering. Permission to use this classification system is gratefully acknowledged.

Vegetation indicators for terrain evaluation in a prairie environment. Sauer, E. K., and Wilson, E. A., 445.
Geological and geomorphological controls of landslides in Ottawa Valley, Ontario. Fransham, P. B., and Gadd, N. R., 531.

03. *Probings (Soundings)*
Correlations between cone resistance and vane shear strength in some Scandinavian soft to medium stiff clays: Discussion. Billam, J., 272.

06. *Sampling, Handling of Samples*
Soil block sampler. Domaschuk, L., 262.

07. *Measurement of Field Conditions (incl. groundwater, in situ stress)*
Effect of fracture deformation on fluid pressure distribution—an indicator of slope instability. Gale, J. E., and Witherspoon, P. A., 302.
Influence of a localized plastic layer on embankment stability. Thompson, C. D., and Emery, J. J., 524.
A fluoride borehole dilution apparatus for groundwater velocity measurements. Grisak, G. E., Merritt, W. F., and Williams, D. W., 554.

08. *Field Testing (excl. tests for engineering properties)*
Application of the wave equation analysis to friction piles in sand. Tavenas, F. A., and Audibert, J. M. E., 34.
Mesure en place des coefficients de perméabilité et des coefficients de consolidation horizontaux et verticaux. Mieussens, C., et Ducasse, P., 76.

D. Soil Properties: Laboratory and Field Determinations

00. *General (incl. laboratory supplies)*
Bearing capacity model test of stratified subsoil loaded by strip foundation. Tejchman, A., 138.
Caractéristiques géotechniques du secteur du Parc Olympique, Montréal. Ballivy, G., Loiselle, A., Durand, M., et Poirier, M., 193.
Model tests on anchored walls retaining overconsolidated sands. Anderson, W. F., Hanna, T. H., and Shah, S. A., 214.
Pollutant migration from two sanitary landfill sites near Sarnia, Ontario. Goodall, D. C., and Quigley, R. M., 223.
Design of a loading platen for testing ice and frozen soil. Law, K. T., 266.
Laterite soil engineering, pedogenesis and engineering principles: Book Review. Klohn, E. J., 442.
Estimation of some properties of Champlain clays with the Swedish fall cone. Garneau, R., and LeBihan, J. P., 571.

02. *Physico-chemical Properties (incl. corrosion, thixotropy)*
Compositional and structural anisotropy of Winnipeg soils—a study based on scanning electron microscopy and X-ray diffraction analyses. Baracos, A., 125.
Compositional and structural anisotropy of Winnipeg soils—a study based on scanning electron microscopy and X-ray diffraction analyses: Discussion. Freeman, W. S., 158.

04. *Permeability and Capillarity*
Mesure en place des coefficients de perméabilité et des coefficients de consolidation horizontaux et verticaux. Mieussens, C., et Ducasse, P., 76.
Hydraulic piping—theoretical and experimental findings. Kälin, M., 107.
Pollutant migration from two sanitary landfill sites near Sarnia, Ontario. Goodall, D. C., and Quigley, R. M., 223.

05. *Compressibility (incl. consolidation and swelling)*
Mesure en place des coefficients de perméabilité et des coefficients de consolidation horizontaux et verticaux. Mieussens, C., et Ducasse, P., 76.
Statistical forecasting of compressibility of peaty ground. Kogure, K., and Ohira, Y., 562.

06. *Shear-deformation and Strength Properties (incl. pore-water pressure)*
Cyclic loading of an Ottawa area Champlain Sea clay. Mitchell, R. J., and King, R. D., 52.
The application of pressuremeter test results in deformation analyses. Burgess, N., and Eisenstein, Z., 64.

Breakout capacity of model suction anchors in soil. Wang, M. C., Demars, K. R., and Nacci, V. A., 246.
Correlations between cone resistance and vane shear strength in some Scandinavian soft to medium stiff clays: Discussion. Billam, J., 272.
Undrained behavior of embankments on New Liskeard varved clay. Lacasse, S. M., Ladd, C. C., and Barsvary, A. K., 367.
Use of residual strength for stability analyses of embankment foundations containing preexisting failure surfaces. Insley, A. E., Chatterji, P. K., and Smith, L. B., 408.
Evidence of creep in steep natural slopes of Champlain Sea clay. Eden, W. J., 620.

07. *Dynamic Properties*
Cyclic loading of an Ottawa area Champlain Sea clay. Mitchell, R. J., and King, R. D., 52.

08. *Thermal Properties (incl. freezing)*
Water flow induced by soil freezing. Arvidson, W. D., and Morgenstern, N. R., 237.

E. Analysis of Soil-engineering Problems

00. *General*
Tailings dam constructed on very loose, saturated sandy silt. Robinson, K. E., 399.

02. *Deformation and Settlement Problems (incl. piles)*
Probabilistic analysis of predicted and measured settlements. Krizek, R. J., Corotis, R. B., and El-Moursi, H. H., 17.
The application of pressuremeter test results in deformation analyses. Burgess, N., and Eisenstein, Z., 64.
Probabilistic analysis of predicted and measured settlements: Discussion. Matyas, E. L., 159.
Probabilistic analysis of predicted and measured settlements: Reply. Krizek, R. J., Corotis, R. B., and El-Moursi, H. H., 276.
Statistical forecasting of compressibility of peaty ground. Kogure, K., and Ohira, Y., 562.

03. *Bearing Capacity of Soils*
Bearing capacity model test of stratified subsoil loaded by strip foundation. Tejchman, A., 138.
Breakout capacity of model suction anchors in soil. Wang, M. C., Demars, K. R., and Nacci, V. A., 246.

04. *Bearing Capacity of Piles*
Application of the wave equation analysis to friction piles in sand. Tavenas, F. A., and Audibert, J. M. E., 34.

05. *Earth Pressure Problems (incl. silos)*
An examination of some theories of earth pressure on shaft linings. Prater, E. G., 91.
Model tests on anchored walls retaining overconsolidated sands. Anderson, W. F., Hanna, T. H., and Shah, S. A., 214.
Design, construction, and performance of a slurry trench wall next to foundations. Rosenberg, P., St-Arnaud, G., Journeaux, N. L., and Vallée, H., 324.
Stabilité interne des murs en terre armée. Chapuis, R. P., 389.

06. *Stability of Slopes, Cuts and Excavations*
An extension of the Bishop and Morgenstern slope stability charts. O'Connor, M. J., and Mitchell, R. J., 144.
Retrogressive slope failures at Beaver Creek, south of Saskatoon, Saskatchewan, Canada. Haug, M. D., Sauer, E. K., and Fredlund, D. G., 288.
Cyclic erosion–instability relationships: Lake Erie north shore bluffs. Quigley, R. M., Gelinas, P. J., Bou, W. T., and Packer, R. W., 310.
The stabilization of a slide in Saint-Jérôme, Lac Saint-Jean. La Rochelle, P., Lefebvre, G., and Bilodeau, P. M., 340.
Undrained behavior of embankments on New Liskeard varved clay. Lacasse, S. M., Ladd, C. C., and Barsvary, A. K., 367.
Use of residual strength for stability analyses of embankment foundations containing preexisting failure surfaces. Insley, A. E., Chatterji, P. K., and Smith, L. B., 408.
Comparison of slope stability methods of analysis. Fredlund, D. G., and Krahn, J., 429.
Groundwater flow systems and slope stability. Hodge, R. A. L., and Freeze, R. A., 466.
Factors affecting distribution of landslides along rivers in southern Alberta. Thomson, S., and

Morgenstern, N. R., 508.
Influence of a localized plastic layer on embankment stability. Thompson, C. D., and Emery, J. J., 524.
Geological and geomorphological controls of landslides in Ottawa Valley, Ontario. Fransham, P. B., and Gadd, N. R., 531.
Application of risk analysis to the prediction of slope instability. Yong, R. N., Alonso, E., Tabba, M. M., and Fransham, P. B., 540.
On the retrogression of landslides in sensitive muddy sediments. Carson, M. A., 582.
Evidence of creep in steep natural slopes of Champlain Sea clay. Eden, W. J. 620.

07. *Seepage and other Hydraulic Problems (incl. erosion)*
Hydraulic piping—theoretical and experimental findings. Kälin, M., 107.
Pollutant migration from two sanitary landfill sites near Sarnia, Ontario. Goodall, D. C., and Quigley, R. M., 223.

09. *Frost Action and Heat-transfer Problems*
The computer simulation of frost penetration beneath highways. Smith, H. W., and Tvede, A., 167.
On quasi-static solutions for buried pipes in permafrost. Hwang, C. T., 180.
Water flow induced by soil freezing. Arvidson, W. D., and Morgenstern, N. R., 237.

F. Rock Properties: Laboratory and Field Determinations

00. *General (incl. laboratory supplies)*
Caractéristiques géotechniques du secteur du Parc Olympique, Montréal. Ballivy, G., Loiselle, A., Durand, M., et Poirier, M., 193.
Effect of fracture deformation on fluid pressure distribution—an indicator of slope instability. Gale, J. E., and Witherspoon, P. A., 302.

06. *Shear-deformation and Strength Properties*
The application of pressuremeter test results in deformation analyses. Burgess, N., and Eisenstein, Z., 64.
Tunnels in bedded rock with high horizontal stresses: Discussion. Ladanyi, B., 152.
Friction and end bearing tests on bedrock for high capacity socket design: Discussion. Ladanyi, B., 153.
Friction and end bearing tests on bedrock for high capacity socket design: Discussion. Vogan, R. W., 156.
Friction and end bearing tests on bedrock for high capacity socket design: Reply. Rosenberg, P., and Journeaux, N. L., 272.
Tunnels in bedded rock with high horizontal stresses: Reply. Lo, K. Y., and Morton, J. D., 274.
Slope stability investigation at Gaspé copper mines. Hucka, V. J., Levaque, J. G., and Allard, M., 477.

07. *Dynamic Properties*
Blast vibration monitoring of rock excavations. Keil, L. D., Burgess, A. S., Nielsen, N. M., and Koropatnick, A., 603.

G. Analysis of Rock-engineering Problems

02. *Deformation Problems*
The application of pressuremeter test results in deformation analyses. Burgess, N., and Eisenstein, Z., 64.

03. *Bearing Capacity of Rock*
Friction and end bearing tests on bedrock for high capacity socket design: Discussion. Ladanyi, B., 153.
Friction and end bearing tests on bedrock for high capacity socket design: Discussion. Vogan, R. W., 156.
Friction and end bearing tests on bedrock for high capacity socket design: Reply. Rosenberg, P., and Journeaux, N. L., 272.

04. *Stability of Slopes, Excavations and Openings*
Tunnels in bedded rock with high horizontal stresses: Discussion. Ladanyi, B., 152.
Excavation unloading effect in rock wedge stability analysis. Kalkani, E. C., 258.
Tunnels in bedded rock with high horizontal stresses: Reply. Lo, K. Y., and Morton, J. D., 274.

Effect of fracture deformation on fluid pressure distribution—an indicator of slope instability. Gale, J. E., and Witherspoon, P. A., 302.
Groundwater flow systems and slope stability. Hodge, R. A. L., and Freeze, R. A., 466.
Slope stability investigation at Gaspé copper mines. Hucka, V. J., Levaque, J. G., and Allard, M., 477.

H. Design, Construction and Behaviour of Engineering Works

01. *Foundations of Structures*

Application of the wave equation analysis to friction piles in sand. Tavenas, F. A., and Audibert, J. M. E., 34.

03. *Unsupported Excavations*

Design, construction, and performance of a slurry trench wall next to foundations. Rosenberg, P., St-Arnaud, G., Journeaux, N. L., and Vallée, H., 324.
Slope stability investigation at Gaspé copper mines. Hucka, V. J., Levaque, J. G., and Allard, M., 477.
Treatment and maintenance of rock slopes on transportation routes. Peckover, F. L., and Kerr, J. W. G., 487.

04. *Earthworks, Embankments, Fills and Dams*

Undrained behavior of embankments on New Liskeard varved clay. Lacasse, S. M., Ladd, C. C., and Barsvary, A. K., 367.
Tailings dam constructed on very loose, saturated sandy silt. Robinson, K. E., 399.
Use of residual strength for stability analyses of embankment foundations containing preexisting failure surfaces. Insley, A. E., Chatterji, P. K., and Smith, L. B., 408.

K. Construction Methods and Equipment

00. *General*

Influence of a localized plastic layer on embankment stability. Thompson, C. D., and Emery, J. J., 524.
Blast vibration monitoring of rock excavations. Keil, L. D., Burgess, A. S., Nielsen, N. M., and Koropatnick, A., 603.

01. *Dewatering and Drainage*

The stabilization of a slide in Saint-Jérôme, Lac Saint-Jean. La Rochelle, P., Lefebvre, G., and Bilodeau, P. M., 340.

04. *Soil and Rock Excavation, Processing and Transportation*

Tunnelling technology: Book Review. Palmer, J. H. L., 278.
Blast vibration monitoring of rock excavations. Keil, L. D., Burgess, A. S., Nielsen, N. M., and Koropatnick, A., 603.

10. *Slurry-assisted Construction of Foundation and Cut-off Walls*

Design, construction, and performance of a slurry trench wall next to foundations. Rosenberg, P., St-Arnaud, G., Journeaux, N. L., and Vallée, H., 324.

11. *Anchorages, Tied-back Walls, Reinforcement, Linings and other Supports of Soil and Rock*

Stabilité interne des murs en terre armée. Chapuis, R. P., 389.

S. Snow and Ice Mechanics and Engineering

01. *Snow and Ice Cover*

Slab avalanche measurements. Perla, R., 206.
Analysis of snow avalanche terrain. Schaerer, P. A., 281.

Canadian Geotechnical Journal

Revue canadienne de géotechnique

Volume 14 • 1977

Editor D. J. BAZETT **Directeur scientifique**

Associate Editors/Directeurs scientifiques associés

J. D. BROWN
J. I. CLARK
L. W. GOLD
N. R. MCCAMMON
G. C. MORGAN
R. M. QUIGLEY
L. SAMSON
J. L. SEYCHUK
F. TAVENAS

PUBLISHING DEPARTMENT
at the National Research Council of Canada

SERVICE DE PUBLICATION
du Conseil national de recherches du Canada

Editor-in-chief C. T. BISHOP **Directeur général**
Assistant Editor-in-chief P. A. REDHEAD **Directeur général adjoint**
Manager H. WILLIAMSON **Directeur administratif**
Publishing Supervisor S. E. JENNESS **Préposé de la publication**
Senior Publication Officer F. M. KAVCIC **Agent supérieur à la publication**
Publication Officer L. M. HARDY **Agent à la publication**

Published by the
National Research Council
of Canada

Publiée par le
Conseil national de recherches
du Canada

CONTENTS / SOMMAIRE

FEBRUARY/FEVRIER

ARTICLES:

S. Thomson and R. Yacyshyn Slope instability in the City of Edmonton 1

Raymond J. Krizek, Ross B. Corotis, and Houssam H. El-Moursi Probabilistic analysis of predicted and measured settlements 17

F. A. Tavenas and J. M. E. Audibert Application of the wave equation analysis to friction piles in sand 34

R. J. Mitchell and R. Douglas King Cyclic loading of an Ottawa area Champlain Sea clay 52

N. Burgess and Z. Eisenstein The application of pressuremeter test results in deformation analyses 64

C. Mieussens et P. Ducasse Mesure en place des coefficients de perméabilité et des coefficients de consolidation horizontaux et verticaux 76

E. G. Prater An examination of some theories of earth pressure on shaft linings 91

M. Kälin Hydraulic piping—theoretical and experimental findings 107

A. Baracos Compositional and structural anisotropy of Winnipeg soils—a study based on scanning electron microscopy and X-ray diffraction analyses 125

TECHNICAL NOTES/NOTES TECHNIQUES:

A. Tejchman Bearing capacity model test of stratified subsoil loaded by strip foundation 138

M. J. O'Connor and R. J. Mitchell An extension of the Bishop and Morgenstern slope stability charts 144

DISCUSSIONS:

B. Ladanyi Tunnels in bedded rock with high horizontal stresses: Discussion 152

B. Ladanyi Friction and end bearing tests on bedrock for high capacity socket design: Discussion 153

R. W. Vogan Friction and end bearing tests on bedrock for high capacity socket design: Discussion 156

W. S. Freeman Compositional and structural anisotropy of Winnipeg soils—a study based on scanning electron microscopy and X-ray diffraction analyses: Discussion 158

E. L. Matyas Probabilistic analysis of predicted and measured settlements: Discussion 159

BOOK REVIEW/CRITIQUE DE LIVRE:

J. D. Brown Glacial till: an interdisciplinary study 164

MAY/MAI

ARTICLES:

M. W. Smith and A. Tvede The computer simulation of frost penetration beneath highways 167

C. T. Hwang On quasi-static solutions for buried pipes in permafrost 180

Gerard Ballivy, André Loiselle, Marc Durand et Michel Poirier Caractéristiques géotechniques du secteur du Parc Olympique, Montréal 193

R. Perla Slab avalanche measurements 206

W. F. Anderson, T. H. Hanna, and S. A. Shah Model tests on anchored walls retaining overconsolidated sands 214

D. C. Goodall and R. M. Quigley Pollutant migration from two sanitary landfill sites near Sarnia, Ontario 223

Wayne D. Arvidson and Norbert R. Morgenstern Water flow induced by soil freezing 237

M. C. Wang, K. R. Demars, and V. A. Nacci Breakout capacity of model suction anchors in soil 246

TECHNICAL NOTES/NOTES TECHNIQUES:

E. C. Kalkani Excavation unloading effect in rock wedge stability analysis 258

L. Domaschuk Soil block sampler 262

K. T. Law Design of a loading platen for testing ice and frozen soil 266

DISCUSSIONS:

P. Rosenberg and N. L. Journeaux Friction and end bearing tests on bedrock for high capacity socket design: Reply 272

J. Billam Correlations between cone resistance and vane shear strength in some Scandinavian soft to medium stiff clays: Discussion 272

K. Y. Lo and J. D. Morton Tunnels in bedded rock with high horizontal stresses: Reply 274
R. J. Krizek, R. B. Corotis, and H. H. El-Moursi Probabilistic analysis of predicted and measured settlements: Reply 276

BOOK REVIEW/CRITIQUE DE LIVRE:
J. H. L. Palmer Tunnelling technology 278

AUGUST/AOUT

ARTICLES:
P. A. Schaerer Analysis of snow avalanche terrain 281
M. D. Haug, E. Karl Sauer, and D. G. Fredlund Retrogressive slope failures at Beaver Creek, south of Saskatoon, Saskatchewan, Canada 288
John E. Gale and Paul A. Witherspoon Effect of fracture deformation on fluid pressure distribution—an indicator of slope instability 302
R. M. Quigley, P. J. Gelinas, W. T. Bou, and R. W. Packer Cyclic erosion–instability relationships: Lake Erie north shore bluffs 310
Peter Rosenberg, G. St-Arnaud, N. L. Journeaux, and H. Vallée Design, construction, and performance of a slurry trench wall next to foundations 324
P. La Rochelle, G. Lefebvre, and P. M. Bilodeau The stabilization of a slide in Saint-Jérôme, Lac Saint-Jean 340
E. A. Babcock A comparison of joints in bedrock and fractures in overlying Pleistocene lacustrine deposits, central Alberta 357
Suzanne M. Lacasse, Charles C. Ladd, and Alex K. Barsvary Undrained behavior of embankments on New Liskeard varved clay 367
Robert P. Chapuis Stabilité interne des murs en terre armée 389
K. E. Robinson Tailings dam constructed on very loose, saturated sandy silt 399
A. E. Insley, P. K. Chatterji, and L. B. Smith Use of residual strength for stability analyses of embankment foundations containing preexisting failure surfaces 408
D. G. Fredlund and J. Krahn Comparison of slope stability methods of analysis 429

BOOK REVIEWS/CRITIQUE DES LIVRES:
J. C. Osler Laurits Bjerrum memorial volume—contributions to soil mechanics 440
E. J. Klohn Laterite soil engineering, pedogenesis and engineering principles 442

NOVEMBER/NOVEMBRE

ARTICLES:
E. Karl Sauer and E. A. Wilson Vegetation indicators for terrain evaluation in a prairie environment 445
Robert A. L. Hodge and R. Allan Freeze Groundwater flow systems and slope stability 466
V. J. Hucka, J. G. Levaque, and M. Allard Slope stability investigation at Gaspé copper mines 477
F. L. Peckover and J. W. G. Kerr Treatment and maintenance of rock slopes on transportation routes 487
S. Thomson and N. R. Morgenstern Factors affecting distribution of landslides along rivers in southern Alberta 508
C. D. Thompson and J. J. Emery Influence of a localized plastic layer on embankment stability 524
P. B. Fransham and N. R. Gadd Geological and geomorphological controls of landslides in Ottawa Valley, Ontario 531
R. N. Yong, E. Alonso, M. M. Tabba, and P. B. Fransham Application of risk analysis to the prediction of slope instability 540
G. E. Grisak, W. F. Merritt, and D. W. Williams A fluoride borehole dilution apparatus for groundwater velocity measurements 554
Keiji Kogure and Yoshinori Ohira Statistical forecasting of compressibility of peaty ground 562
R. Garneau and J. P. LeBihan Estimation of some properties of Champlain clays with the Swedish fall cone 571
M. A. Carson On the retrogression of landslides in sensitive muddy sediments 582
L. D. Keil, A. S. Burgess, N. M. Nielsen, and A. Koropatnick Blast vibration monitoring of rock excavations 603

TECHNICAL NOTE/NOTE TECHNIQUE:
W. J. Eden Evidence of creep in steep natural slopes of Champlain Sea clay 620
Author Index/Répertoire des auteurs 629
Subject Index/Répertoire des sujets 632
Contents of Volume 14/Sommaire du volume 14 iii